

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comm	Error	Errors
							en	on	
1	BRS	L1	50	("6104020" "6396137" "4297592" "4395736" "4951000" "6801068" "4599575" "5359566" "4408304" "4622480" "4825417" "5015891" "5398207" "6100742" "4383224" "4404661" "4409672" "4528520" "4763179" "4853348" "4937641" "4984038" "5216266" "5818209" "5831895" "5862072" "5872032" "5926410" "5959898" "5998820" "6016079" "4255679" "4439697" "4449142" "4507649" "4633099" "4786880" "4788454" "4788668" "4799197" "4818897" "5027082" "5303053" "5363325" "5376837" "5391937" "5394025" "5418411" "5477186" "5479121").pn.	USP AT	2005/02/ 11 14:56			
2	BRS	L2	265965	transistor\$	USP AT	2005/02/ 11 14:56			
3	BRS	L3	104508	current near2 source\$	USP AT	2005/02/ 11 14:56			
4	BRS	L4	5606	MOS near2 capacit\$	USP AT	2005/02/ 11 14:59			
5	BRS	L5	20145	level near2 shift\$	USP AT	2005/02/ 11 14:57			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comm	Defini	Errors
6	BRS	L6	15799	bandwidth\$ near2 limit\$	USP AT	2005/02/ 11 14:57			
7	BRS	L7	521173	stable\$	USP AT	2005/02/ 11 14:58			
8	BRS	L8	0	2 and 3 and 4 and 5 and 6 and 7	USP AT	2005/02/ 11 15:30			
9	BRS	L9	731768	capacit\$	USP AT	2005/02/ 11 14:59			
10	BRS	L10	15458	well near2 capacit\$	USP AT	2005/02/ 11 14:59			
11	BRS	L11	14	2 and 3 and 9 and 10 and 5 and 6 and 7	USP AT	2005/02/ 11 15:01			
12	BRS	L12	395725	amplif\$	USP AT	2005/02/ 11 15:01			
13	BRS	L13	14	11 and 12	USP AT	2005/02/ 11 15:29			
14	BRS	L14	21	1 and 4	USP AT	2005/02/ 11 15:29			
15	BRS	L15	196	2 and 3 and 4 and 5	USP AT	2005/02/ 11 15:30			

Type	L #	Hits	Search Text	DBs	Time Stamp	Comm	Error	Cor	Defi	Er	ro	ro	rs
16	BRS	L16	0	2 and 3 and 4 and 5 and 6	USP AT	2005/02/ 11 15:31							
17	BRS	L17	107	2 and 3 and 4 and 5 and 7	USP AT	2005/02/ 11 15:32							
18	BRS	L18	20380	capacit\$ near2 plate\$	USP AT	2005/02/ 11 15:32							
19	BRS	L19	9	17 and 18	USP AT	2005/02/ 11 15:32							